

Law Offices of

SENNIGER POWERS

One Metropolitan Square, 16th Floor
St. Louis, Missouri 63102Telephone (314) 231-5400
Facsimile (314) 231-4342RECEIVED
CENTRAL FAX CENTER

JAN 27 2005

FACSIMILE TRANSMITTAL COVER SHEET

DATE: 1/27/2005 ATTORNEY DOCKET NUMBER: KCC 4846 (K-C 16,993)

PTO FACSIMILE NUMBER: (703) 872-9306

PLEASE DELIVER THIS FACSIMILE TO: Examiner Karin M. ReichleTHIS FACSIMILE IS BEING SENT BY: Richard L. BridgeNUMBER OF PAGES: 12 INCLUDING COVER SHEETTIME SENT: 10:40 a.m. OPERATOR'S NAME Brenda Witschorek

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to
the Patent and Trademark Office on the date shown below.Brenda C. Witschorek
Typed or printed name of person signing certificationBrenda C. Witschorek 1/27/2005
Signature DateType of paper transmitted: Supplement to Amendment DApplicant's Name: Linda M. DorschnerSerial No. (Control No.): 10/034,846 Examiner: ReichleFiling Date: 12/28/2001 Art Unit: 3761Application Title: RATIO OF ABSORBENT AREA TO OUTER PERIPHERAL AREA
FOR DISPOSABLE ABSORBENT ARTICLESIF YOU DO NOT RECEIVE ALL PAGES CLEARLY, CALL BACK AS SOON AS
POSSIBLE. CONFIRMING NUMBER IS (314) 231-5400.

KCC 4846 (K-C 16,993)
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Linda M. Dorschner Art Unit: 376.1
Serial No.: 10/034,846
Filed: December 28, 2001
Confirmation No.: 9653
For: RATIO OF ABSORBENT AREA TO OUTER PERIPHERAL AREA FOR
DISPOSABLE ABSORBENT ARTICLES
Examiner: Karin M. Reichle

January 26, 2005

SUPPLEMENT TO AMENDMENT D

TO THE COMMISSIONER FOR PATENTS,
SIR/MADAM:

Please enter the following amendments into the above-identified application:

Amendments to the specification begin on page 2.

Amendments to the claims begin on page 3.

Remarks begin on page 11.